Customer: Feelin Groovy HHC
515 East Vienna St.
Anna, IL 62906

Sample ID: HHC10052029
Laboratory Number: ATL-3156

Report Issue Date
07/21/23
Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto

ACCURAT

CANNABINOID PROFILE

Order Date
07/21/23

Analysis Date
07/21/23

Cannabinoids (HPLC)

Results — Cannabinoid (%)

Test	LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100
Hydroxyhexahydrocannabinol (HHC) Approximation	<0.5	933.6	93.36						
Cannabidiolic Acid (CBD-A)	<.04	0	0						
Cannabigerolic Acid (CBG-A)	<.04	0	0						
Cannabigerol (CBG)	<.05	0	0						
Cannabidiol (CBD)	<.05	0	0						
Cannabinoll (CBN)	<.05	0	0						
delta 9-Tetrahydrocannabidol (THC)	<.05	0	0						
delta 8-Tetrahydrocannabidol	<.05	0	0						
delta 10-Tetrahydrocannabidol	<.05	0	0						
Cannabichromene (CBC)	<.05	0	0						
delta 9-Tetrahydrocannabinolic Acid (THC-A)	<.04	0	0						

Cannabinoids Total

Test	(mg/g)	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	0	0						
T. Active Cannabinoids	933.6	93.36						
Total Cannabinoids	933.6	93.36						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

N/D = Not Detected

Accurate Test Lab, LLC ▶ 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA